

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Am: Armiesburg-----	90	Fair Too clayey	0.98	Good		Fair Too Clayey	0.98
BcA: Blount-----	90	Poor Too clayey	0.00	Fair Depth to saturated zone	0.04	Poor Too Clayey	0.00
		Carbonate content	0.46	Shrink-swell	0.60	Depth to saturated zone	0.04
		Low content of organic matter	0.88			Not hard to reclaim	0.99
		Water erosion	0.90				
		Droughty	0.98				
BcB: Blount-----	90	Poor Too clayey	0.00	Fair Depth to saturated zone	0.04	Poor Too Clayey	0.00
		Carbonate content	0.46	Shrink-swell	0.74	Depth to saturated zone	0.04
		Droughty	0.63			Hard to reclaim	0.46
		Low content of organic matter	0.88				
		Water erosion	0.90				
Ch: Chagrins-----	90	Good		Good		Good	
GoB: Glynwood-----	85	Poor Too clayey	0.00	Fair Depth to saturated zone	0.32	Poor Too Clayey	0.00
		Carbonate content	0.46	Shrink-swell	0.51	Depth to saturated zone	0.32
		Droughty	0.55			Hard to reclaim	0.84
		Low content of organic matter	0.88			Carbonate content	0.97
		Water erosion	0.90				
HaA: Haskins-----	90	Fair Low content of organic matter	0.88	Fair Depth to saturated zone	0.04	Fair Depth to saturated zone	0.04
		Too acid	0.97	Shrink-swell	0.87	Hard to reclaim	0.29
		No water erosion limitation	0.99			Rock fragments	0.94

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ho: Houghton-----	90	Good		Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
						Content of organic matter	0.00
McA: Martinsville-----	95	Fair Carbonate content	0.46	Good		Good	
		Low content of organic matter	0.88				
		Too acid	0.97				

		No water erosion limitation	0.99				
McB:							
Martinsville-----	95	Fair		Good		Good	
		Carbonate content	0.46				
		Low content of organic matter	0.88				
		Too acid	0.97				
		No water erosion limitation	0.99				
Mh:							
Milford-----	95	Fair		Poor		Poor	
		Too clayey	0.02	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Carbonate content	0.32	Shrink-swell	0.36	Too Clayey	0.02
Mk:							
Montgomery-----	95	Fair		Poor		Poor	
		Carbonate content	0.32	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Low content of organic matter	0.88	Shrink-swell	0.64		
MoC2:							
Morley-----	95	Poor		Fair		Poor	
		Too clayey	0.00	Shrink-swell	0.12	Too Clayey	0.00
		Droughty	0.01	Depth to saturated zone	0.98	Hard to reclaim	0.46
		Carbonate content	0.46			Slope	0.96
		Low content of organic matter	0.88			Depth to saturated zone	0.98
MoD2:							
Morley-----	95	Poor		Fair		Poor	
		Too clayey	0.00	Shrink-swell	0.12	Too Clayey	0.00
		Droughty	0.01	Depth to saturated zone	0.98	Slope	0.00
		Carbonate content	0.46			Hard to reclaim	0.46
		Low content of organic matter	0.88			Depth to saturated zone	0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Na:							
Nappanee-----	90	Poor		Fair		Poor	
		Too clayey	0.00	Depth to saturated zone	0.04	Too Clayey	0.00
		Droughty	0.61	Shrink-swell	0.12	Depth to saturated zone	0.04
		Low content of organic matter	0.88				
		Carbonate content	0.92				
		No water erosion limitation	0.99				
Pm:							
Pewamo-----	95	Poor		Poor		Poor	
		Too clayey	0.00	Depth to saturated zone	0.00	Depth to saturated zone	0.00
		Carbonate content	0.46	Shrink-swell	0.19	Too Clayey	0.00
Px:							
Pits-----	100	Not rated		Not rated		Not rated	
RdB:							
Rawson-----	90	Fair		Fair		Fair	
		Low content of organic matter	0.88	Shrink-swell	0.87	Hard to reclaim	0.46
		Too acid	0.97	Depth to saturated zone	0.91	Depth to saturated zone	0.91
		Carbonate content	0.97			Rock fragments	0.94
		No water erosion limitation	0.99				
SaB2:							
St. Clair-----	90	Poor		Fair		Poor	
		Too clayey	0.00	Shrink-swell	0.12	Too Clayey	0.00
		Low content of organic matter	0.88	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Carbonate content	0.92				
		Droughty	0.99				

Sc:							
Saranac-----	95	Poor Too clayey	0.00	Poor Depth to saturated zone Shrink-swell	0.00 0.87	Poor Depth to saturated zone Too Clayey	0.00 0.00
Sh:							
Shoals-----	85	Good		Fair Depth to saturated zone	0.04	Fair Depth to saturated zone	0.04
Sl:							
Sloan-----	90	Good		Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Tc:							
Tice-----	90	Fair No water erosion limitation	0.99	Fair Depth to saturated zone Shrink-swell	0.04 0.94	Fair Depth to saturated zone	0.04
Ud:							
Udorthents-----	100	Not rated		Not rated		Not rated	
W:							
Water-----	100	Not rated		Not rated		Not rated	
W4:							
Water-----	100	Not rated		Not rated		Not rated	
Wh:							
Whitaker-----	95	Fair Carbonate content	0.80	Fair Depth to saturated zone	0.04	Fair Depth to saturated zone	0.04
		Low content of organic matter	0.88	Shrink-swell	0.94		
		No water erosion limitation	0.99				